


MEsteeL Counts  
 3247 members today  
 314 819 visitors /month

- Local Steel Mills**
- Mills- Agents, Traders**
- Coil Service Centers**
- Tube Manufacturers**
- Stockists- Distributors**
- Fabrication- Construction**
- Contractors**
- Other Steel Users**
- Erection**
- Design - Engineering**
- Surface Treatment**
- Base Materials**
- Equipment & Software**
- Inspection & Certification**
- Transport & Warehousing**
- Consultants**

 [company](#) [activity](#) [brand](#)

[Earn 50 \\$ per Referral](#)  
[Receive Free Newsletter](#)  
[What's New](#) | [Feedback](#)  
[LIVE SUPPORT](#) 

# Steel tools and conversion tables



[Currency Converter](#)

Enter country or city



[Parcels Tracking](#)



[Periodic Table](#)



[Ports Info](#)



[GoToMyPC](#)  
[Access Your PC](#)  
[from Anywhere](#)

If you can not find the information you are looking for, in this page then simply go to our [Ask An Expert](#) page, and submit your question.

## weights

- [Metal Weight Calculator \(kg\)](#)
- [Metal Weight Calculator \(lbs\)](#)
- [Nails](#)
- [Weight Conversion](#)

## sizes

- [Area](#)
- [Length](#)
- [Thickness \(gauges\)](#)
- [Metric Converter](#)

## Properties

- [Density](#)
- [Energy](#)
- [Flow](#)
- [Force](#)
- [Frequency](#)
- [Hardness](#)
- [Illuminance](#)
- [Luminance](#)
- [Power](#)
- [Pressure \ stress](#)
- [Temperature](#)
- [Torque](#)
- [Velocity](#)
- [Volume](#)
- [RAL Color Card](#)



## others

- [Numbering Systems for Metals and Alloys](#)
- [SITC Code Numbers for Steel Products](#)
- [Dictionary + Multilingual Steel Terms Translator \(French, German, Spanish, Italian\)](#)
- [Percent Calculator](#)
- [Expression Solver](#)
- [Dished Head Thickness Calculator](#)
- [Tank/Head Volume Calculator](#)

## Useful Conversion Factors

Quantity	From English Units	To Metric Units	Multiply by*
Moment of mass	lb . ft	kg . m	0.1383
Moment of inertia	lb . ft <sup>2</sup>	kg . m <sup>2</sup>	0.042 14
Second moment of area	in <sup>4</sup>	mm <sup>4</sup>	416 200
Section modulus	in <sup>3</sup>	mm <sup>3</sup>	16 390
Bending moment,	ft-lb	N . m	1.356
Torque, moment of force	ft-kip	kN . m	1.356



For Free Demo Version & For Orders  
 for Middle East  
 Contact - [info@mesteel.com](mailto:info@mesteel.com)

Multiplication Factor	Prefix	Symbol
1,000,000,000 = 10 <sup>9</sup>	giga	G
1,000,000 = 10 <sup>6</sup>	mega	M
1,000 = 10 <sup>3</sup>	Kilo	k
100 = 10 <sup>2</sup>	hecto	h

Multiplication Factor	Prefix	Symbol
0.01 = 10 <sup>-2</sup>	centi	c
0.001=10 <sup>-3</sup>	milli	m
0.000001 = 10 <sup>-6</sup>	micro	•
0.00000001 = 10 <sup>-9</sup>	nano	n

**Area**

Convert from:

To:

To convert from

to

multiply by

square foot (sq ft)	square meter (sq m)	0.09290304 E
square inch (sq in)	square meter (sq m)	0.00064516 E
square yard (sq yd)	square meter (sq m)	0.83612736 E
acre (ac)	hectare (ha)	0.4047

top ▲

**Length**

Convert from:

To:

To convert from

to

multiply by

mile (US Statute)	kilometer (km)	1.609347
inch (in)	millimeter (mm)	25.4 *
inch (in)	centimeter (cm)	2.54 *
inch (in)	meter (m)	0.0254 *
foot (ft)	meter (m)	0.3048 *
yard (yd)	meter (m)	0.3048 *

top ▲

**Energy \ Power**

Convert from:

To:

To convert from

to

multiply by

horsepower (hp) (550 ft-lb/sec)	watt (W)	745.6999 E
------------------------------------	----------	------------

top ▲

**Velocity**

Convert from:

To:

To convert from

to

multiply by

mile per hour (mph)	kilometer per hour (km/hr)	1.60934
mile per hour (mph)	meter per second (m/s)	0.44704
Permeability	centimeter per second (cm/sec)	0.000968
darcy	centimeter per second (cm/sec)	0.000352
feet per day (ft/day)	centimeter per second (cm/sec)	0.000352

top ▲

**Flow**

Convert from:

To:

[top ▲](#)

**Weight \ Mass**

Convert from:

To:

[top ▲](#)

<u>To convert from</u>	<u>to</u>	<u>multiply by</u>
Mass (weight) pound (lb)	kilogram (kg)	0.4535924
ton, 2000 lb	kilogram (kg)	907.1848
grain		
Mass (weight) per length	kilogram (kg)	0.0000648
kip per linear foot (klf)	kilogram per meter (kg/m)	0.001488
pound per linear foot (plf)	kilogram per meter (kg/m)	1.488
Mass per volume (density)		
pound per cubic foot (pcf)	kilogram per cubic meter (kg/cu m)	16.01846

**Volume**

Convert from:

To:

[top ▲](#)

<u>To convert from</u>	<u>to</u>	<u>multiply by</u>
cubic inch (cu in)	cubic meter (cu m)	0.00001639
cubic foot (cu ft)	cubic meter (cu m)	0.02831685
cubic yard (cu yd)	cubic meter (cu m)	0.7645549
Canada gallon (gal)	liter	4.546
Canada gallon (gal)	cubic meter (cu m)	0.004546
U.S. gallon (gal)	liter	3.7854118
U.S. gallon (gal)	cubic meter (cu m)	0.00378541
fluid ounce (fl oz)	milliliters (ml)	29.57353
fluid ounce (fl oz)	cubic meter (cu m)	0.00002957

**Pressure \ Stress**

Convert from:

To:

[top ▲](#)

<u>To convert from</u>	<u>to</u>	<u>multiply by</u>
kip per square inch (ksi)	megapascal (MPa)	6.894757
pound per square foot (psf)	kilogram per square meter (kg/sq m)	4.8824
pound per square foot (psf)	pascal (Pa)	47.88
pound per square inch (psi)	pascal (Pa)	6,894.757
pound per square inch (psi)	megapascal (MPa)	0.00689476

**Temperature**

Convert from:

To:

To convert from

to

multiply by

degree Fahrenheit (F)

degree Celsius (C)

$tc=(tF-32)/1.8$

degree Fahrenheit (F)

kelvin (K)

$tk =$

$(tF+459.7)/1.8$

$tc=tk-273.15$

kelvin (K)

degree Celsius (C)

Energy and heat

British thermal unit (Btu)

joule (J)

1055.056

calorie (cal)

joule (J)

4.1868E

Btu/degree

F x hr x ft<sup>2</sup> W/m<sup>2</sup> - degree K

5.678263

top ▲

kilowatt-hour (kwh)

joule (J)

3,600,000E

British thermal unit per pound (Btu/lb)

calories per gram (cal/g)

0.55556

British thermal unit per hour (Btu/hr)

watt (W)

0.2930711

\* 4 significant digits

\*\*denotes exact conversion

# Conversion table for nails

[Common Nails Smooth Shank](#)

[Roofing Nails Smooth Shank](#)

[Box Nails](#)

[Finishing Nails](#)

[Common Nail Ring Barb Shank](#)

[Roofing \(slating\) Nail Ring Barb Shank](#)

---

mesteel.com

mesteel.com

MEsteel Counts

3247 members today

314,819 visitors /month

- [Local Steel Mills](#)
- [Mills- Agents, Traders](#)
- [Coil Service Centers](#)
- [Tube Manufacturers](#)
- [Stockists- Distributors](#)
- [Fabrication- Construction](#)
- [Contractors](#)
- [Other Steel Users](#)
- [Erection](#)
- [Design - Engineering](#)
- [Surface Treatment](#)
- [Base Materials](#)
- [Equipment & Software](#)
- [Inspection & Certification](#)
- [Transport & Warehousing](#)
- [Consultants](#)

 [company](#) [activity](#) [brand](#)

# Conversion table for nails

[Common Nails Smooth Shank](#)

[Roofing Nails Smooth Shank](#)

[Box Nails](#)

[Finishing Nails](#)

[Common Nail Ring Barb Shank](#)

[Roofing \(slating\) Nail Ring Barb Shank](#)

mesteel.com

mesteel.com

[Earn 50 \\$ per Referral](#)

[Receive Free Newsletter](#)

[What's New](#) | [Feedback](#)

LIVE SUPPORT 

# Common Nail Smooth Shank



Nail Size:

Enter Qty of Nails you need:

You will need about                      pounds of nails.

Nail Size		D	L	H	Nail Count		
		Shank Diameter	Shank Length	Head Diameter	per lb (aprox.)		
Penny	Gauge	Nominal	Nominal	Aprx.	Alum.	Cop.	SS.
2D	15	0.072	1"	3/16"	2225	689	760
N/A	14	0.083	1"	13/64"	N/A	573	586
3D	14	0.083	1-1/4"	13/64"	1375	421	477
4D	12	0.109	1-1/2"	1/4"	800	204	229
5D	12	0.109	1-3/4"	1/4"	N/A	162	182
6D	11	0.120	2"	17/64"	425	130	147
8D	10	0.134	2-1/2"	9/32"	230	83	94
10D	9	0.148	3"	5/16"	165	55	63
12D	9	0.148	3-1/4"	5/16"	N/A	52	59
16D	8	0.165	3-1/2"	11/32"	120	40	44
20D	6	0.203	4"	13/32"	78	23	25
30D	5	0.220	4-1/2"	7/16"	N/A	18	18
40D	4	0.238	5"	15/32"	N/A	14	14
60D	4	0.238	6"	17/32"	N/A	N/A	13
N/A	2	0.284	6"	17/32"	N/A	8	N/A






MEsteel Counts

3247 members today

314,819 visitors /month

- Local Steel Mills
- Mills-Agents,Traders
- Coil Service Centers
- Tube Manufacturers
- Stockists-Distributors
- Fabrication-Construction
- Contractors
- Other Steel Users
- Erection
- Design - Engineering
- Surface Treatment
- Base Materials
- Equipment & Software
- Inspection & Certification
- Transport & Warehousing
- Consultants

# Common Nail Smooth Shank



Nail Size:

Enter Qty of Nails you need:


You will need about  pounds of nails.

Nail Size		D	L	H	Nail Count		
		Shank Diameter	Shank Length	Head Diameter	per lb (aprox.)		
Penny	Gauge	Nominal	Nominal	Aprx.	Alum.	Cop.	SS.
2D	15	0.072	1"	3/16"	2225	689	760
N/A	14	0.083	1"	13/64"	N/A	573	586
3D	14	0.083	1-1/4"	13/64"	1375	421	477
4D	12	0.109	1-1/2"	1/4"	800	204	229
5D	12	0.109	1-3/4"	1/4"	N/A	162	182
6D	11	0.120	2"	17/64"	425	130	147
8D	10	0.134	2-1/2"	9/32"	230	83	94
10D	9	0.148	3"	5/16"	165	55	63
12D	9	0.148	3-1/4"	5/16"	N/A	52	59
16D	8	0.165	3-1/2"	11/32"	120	40	44
20D	6	0.203	4"	13/32"	78	23	25
30D	5	0.220	4-1/2"	7/16"	N/A	18	18
40D	4	0.238	5"	15/32"	N/A	14	14
60D	4	0.238	6"	17/32"	N/A	N/A	13
N/A	2	0.284	6"	17/32"	N/A	8	N/A

company activity brand

**Earn 50 \$ per Referral**  
 Receive Free Newsletter  
 What's New | Feedback  
 LIVE SUPPORT 😊

# Roofing (slating) Nail Ring Barb Shank



Nail Size:

Enter Qty of Nails you need:

You will need about \_\_\_\_\_ pounds of nails.

Nail Size		D	L	H	Nail Count	
		Shank Diameter	Shank Length	Head Diameter	per lb (aprox.)	
Penny	Gauge	Nominal	Nominal	Aprx.	Cop.	SS.
N/A	11	0.120	3/4"	3/8"	290	N/A
2D	11	0.120	1"	3/8"	231	N/A
2D	10	0.134	1"	3/8"	N/A	223
3D	11	0.120	1-1/4"	3/8"	205	N/A
3D	10	0.134	1-1/4"	3/8"	N/A	188
4D	11	0.120	1-1/2"	3/8"	166	N/A
4D	10	0.134	1-1/2"	3/8"	N/A	152
5D	11	0.120	1-3/4"	3/8"	146	N/A
5D	10	0.134	1-3/4"	3/8"	N/A	136
6D	11	0.120	2"	3/8"	131	N/A
6D	10	0.134	2"	3/8"	N/A	122
8D	11	0.120	2-1/2"	3/8"	118	N/A
8D	10	0.134	2-1/2"	3/8"	83	89
10D	10	0.134	3"	3/8"	70	74


MEsteel Counts

3247 members today

314,819 visitors /month

- Local Steel Mills**
- Mills- Agents, Traders**
- Coil Service Centers**
- Tube Manufacturers**
- Stockists- Distributors**
- Fabrication- Construction**
- Contractors**
- Other Steel Users**
- Erection**
- Design - Engineering**
- Surface Treatment**
- Base Materials**
- Equipment & Software**
- Inspection & Certification**
- Transport & Warehousing**
- Consultants**

# Roofing (slating) Nail Ring Barb Shank



Nail Size:

Enter Qty of Nails you need:

You will need about  pounds of nails.

Nail Size		D	L	H	Nail Count	
		Shank Diameter	Shank Length	Head Diameter	per lb (aprox.)	
Penny	Gauge	Nominal	Nominal	Aprx.	Cop.	SS.
N/A	11	0.120	3/4"	3/8"	290	N/A
2D	11	0.120	1"	3/8"	231	N/A
2D	10	0.134	1"	3/8"	N/A	223
3D	11	0.120	1-1/4"	3/8"	205	N/A
3D	10	0.134	1-1/4"	3/8"	N/A	188
4D	11	0.120	1-1/2"	3/8"	166	N/A
4D	10	0.134	1-1/2"	3/8"	N/A	152
5D	11	0.120	1-3/4"	3/8"	146	N/A
5D	10	0.134	1-3/4"	3/8"	N/A	136
6D	11	0.120	2"	3/8"	131	N/A
6D	10	0.134	2"	3/8"	N/A	122
8D	11	0.120	2-1/2"	3/8"	118	N/A
8D	10	0.134	2-1/2"	3/8"	83	89
10D	10	0.134	3"	3/8"	70	74

company activity brand

[Earn 50 \\$ per Referral](#)

[Receive Free Newsletter](#)

[What's New](#) | [Feedback](#)

[LIVE SUPPORT](#) 😊

# Box Nails

Nail Size:

Enter Qty of Nails you need:

You will need about                      pounds of nails.

Nail Size		D	L	H	Nail Count
		Shank Diameter	Shank Length	Head Diameter	per lb
Penny	Gauge	Nominal	Nominal	Aprx.	Aprx.
6D	12	0.109	2"	1/4"	245
8D	11	0.120	2-1/2"	17/64"	115
10D	11	0.120	3"	17/64"	99
16D	10	0.134	3-1/2"	9/32"	69

MEsteel Counts

3247 members today

314,819 visitors /month

- [Local Steel Mills](#)
- [Mills- Agents, Traders](#)
- [Coil Service Centers](#)
- [Tube Manufacturers](#)
- [Stockists- Distributors](#)
- [Fabrication- Construction](#)
- [Contractors](#)
- [Other Steel Users](#)
- [Erection](#)
- [Design - Engineering](#)
- [Surface Treatment](#)
- [Base Materials](#)
- [Equipment & Software](#)
- [Inspection & Certification](#)
- [Transport & Warehousing](#)
- [Consultants](#)

# Box Nails

Nail Size:

Enter Qty of Nails you need:

You will need about \_\_\_\_\_ pounds of nails.

Nail Size		D	L	H	Nail Count
		Shank Diameter	Shank Length	Head Diameter	per lb
Penny	Gauge	Nominal	Nominal	Aprx.	Aprx.
6D	12	0.109	2"	1/4"	245
8D	11	0.120	2-1/2"	17/64"	115
10D	11	0.120	3"	17/64"	99
16D	10	0.134	3-1/2"	9/32"	69



company activity brand


[Earn 50 \\$ per Referral](#)

[Receive Free Newsletter](#)

[What's New](#) | [Feedback](#)

LIVE SUPPORT

# Finishing Nails



Nail Size:

Enter Qty of Nails you need:

You will need about  pounds of nails.

Nail Size		D	L	H	Nail Count
		Shank Diameter	Shank Length	Head Diameter	per lb
Penny	Gauge	Nominal	Nominal	Aprx.	Aprx.
4D	15	0.072	1-½"	0.105	630
6D	13	0.095	2"	0.135	288
8D	12	0.109	2-½"	0.155	196
10D	11	0.120	3"	0.162	124
16D	11	0.120	3-½"	0.162	87


MEsteel Counts

3247 members today

314,819 visitors /month

- Local Steel Mills**
- Mills- Agents, Traders**
- Coil Service Centers**
- Tube Manufacturers**
- Stockists- Distributors**
- Fabrication- Construction**
- Contractors**
- Other Steel Users**
- Erection**
- Design - Engineering**
- Surface Treatment**
- Base Materials**
- Equipment & Software**
- Inspection & Certification**
- Transport & Warehousing**
- Consultants**

# Finishing Nails



Nail Size:

Enter Qty of Nails you need:

You will need about  pounds of nails.

Nail Size		D	L	H	Nail Count
		Shank Diameter	Shank Length	Head Diameter	per lb
Penny	Gauge	Nominal	Nominal	Aprx.	Aprx.
4D	15	0.072	1-½"	0.105	630
6D	13	0.095	2"	0.135	288
8D	12	0.109	2-½"	0.155	196
10D	11	0.120	3"	0.162	124
16D	11	0.120	3-½"	0.162	87

company activity brand


[Earn 50 \\$ per Referral](#)

[Receive Free Newsletter](#)

[What's New](#) | [Feedback](#)

[LIVE SUPPORT](#)

# Common Nail Ring Barb Shank



Nail Size:

Enter Qty of Nails you need:

You will need about                      pounds of nails.

Nail Size		D	L	H	Nail Count	
		Shank Diameter	Shank Length	Head Diameter	per lb (aprox.)	
Penny	Gauge	Nominal	Nominal	Aprx.	Sil. Brz.	SS.
2D	15	0.072	1"	3/16"	N/A	800
N/A	14	0.083	1"	13/64"	573	N/A
3D	14	0.083	1-1/4"	13/64"	458	490
N/A	12	0.109	1-1/4"	1/4"	265	N/A
4D	12	0.109	1-1/2"	1/4"	221	235
5D	12	0.109	1-3/4"	1/4"	N/A	200
6D	11	0.120	2"	17/64"	N/A	149
N/A	10	0.134	2"	9/32"	110	N/A
8D	10	0.134	2-1/2"	9/32"	88	98
10D	9	0.148	3"	5/16"	59	66
16D	8	0.165	3-1/2"	11/32"	41	46
20D	6	0.203	4"	13/32"	24	27
30D	5	0.220	4-1/2"	7/16"	20	20
40D	4	0.238	5"	15/32"	16	17




MEsteel Counts

3247 members today

314,819 visitors /month

- Local Steel Mills
- Mills-Agents,Traders
- Coil Service Centers
- Tube Manufacturers
- Stockists-Distributors
- Fabrication-Construction
- Contractors
- Other Steel Users
- Erection
- Design - Engineering
- Surface Treatment
- Base Materials
- Equipment & Software
- Inspection & Certification
- Transport & Warehousing
- Consultants

# Common Nail Ring Barb Shank



Nail Size:

Enter Qty of Nails you need:

You will need about \_\_\_\_\_ pounds of nails.

Nail Size		D	L	H	Nail Count	
		Shank Diameter	Shank Length	Head Diameter	per lb (aprox.)	
Penny	Gauge	Nominal	Nominal	Aprx.	Sil. Brz.	SS.
2D	15	0.072	1"	3/16"	N/A	800
N/A	14	0.083	1"	13/64"	573	N/A
3D	14	0.083	1-1/4"	13/64"	458	490
N/A	12	0.109	1-1/4"	1/4"	265	N/A
4D	12	0.109	1-1/2"	1/4"	221	235
5D	12	0.109	1-3/4"	1/4"	N/A	200
6D	11	0.120	2"	17/64"	N/A	149
N/A	10	0.134	2"	9/32"	110	N/A
8D	10	0.134	2-1/2"	9/32"	88	98
10D	9	0.148	3"	5/16"	59	66
16D	8	0.165	3-1/2"	11/32"	41	46
20D	6	0.203	4"	13/32"	24	27
30D	5	0.220	4-1/2"	7/16"	20	20
40D	4	0.238	5"	15/32"	16	17

company activity brand


[Earn 50 \\$ per Referral](#)

[Receive Free Newsletter](#)

[What's New](#) | [Feedback](#)

LIVE SUPPORT

# Roofing (slating) Nail Ring Barb Shank



Nail Size:

Enter Qty of Nails you need:

You will need about \_\_\_\_\_ pounds of nails.

Nail Size		D	L	H	Nail Count	
		Shank Diameter	Shank Length	Head Diameter	per lb (aprox.)	
Penny	Gauge	Nominal	Nominal	Aprx.	Cop.	SS.
N/A	11	0.120	3/4"	3/8"	290	N/A
2D	11	0.120	1"	3/8"	231	N/A
2D	10	0.134	1"	3/8"	N/A	223
3D	11	0.120	1-1/4"	3/8"	205	N/A
3D	10	0.134	1-1/4"	3/8"	N/A	188
4D	11	0.120	1-1/2"	3/8"	166	N/A
4D	10	0.134	1-1/2"	3/8"	N/A	152
5D	11	0.120	1-3/4"	3/8"	146	N/A
5D	10	0.134	1-3/4"	3/8"	N/A	136
6D	11	0.120	2"	3/8"	131	N/A
6D	10	0.134	2"	3/8"	N/A	122
8D	11	0.120	2-1/2"	3/8"	118	N/A
8D	10	0.134	2-1/2"	3/8"	83	89
10D	10	0.134	3"	3/8"	70	74


MEsteel Counts

3247 members today

314,819 visitors /month

- Local Steel Mills
- Mills- Agents, Traders
- Coil Service Centers
- Tube Manufacturers
- Stockists- Distributors
- Fabrication- Construction
- Contractors
- Other Steel Users
- Erection
- Design - Engineering
- Surface Treatment
- Base Materials
- Equipment & Software
- Inspection & Certification
- Transport & Warehousing
- Consultants

# Roofing (slating) Nail Ring Barb Shank



Nail Size:

Enter Qty of Nails you need:

You will need about \_\_\_\_\_ pounds of nails.

Nail Size		D	L	H	Nail Count	
		Shank Diameter	Shank Length	Head Diameter	per lb (aprox.)	
Penny	Gauge	Nominal	Nominal	Aprx.	Cop.	SS.
N/A	11	0.120	3/4"	3/8"	290	N/A
2D	11	0.120	1"	3/8"	231	N/A
2D	10	0.134	1"	3/8"	N/A	223
3D	11	0.120	1-1/4"	3/8"	205	N/A
3D	10	0.134	1-1/4"	3/8"	N/A	188
4D	11	0.120	1-1/2"	3/8"	166	N/A
4D	10	0.134	1-1/2"	3/8"	N/A	152
5D	11	0.120	1-3/4"	3/8"	146	N/A
5D	10	0.134	1-3/4"	3/8"	N/A	136
6D	11	0.120	2"	3/8"	131	N/A
6D	10	0.134	2"	3/8"	N/A	122
8D	11	0.120	2-1/2"	3/8"	118	N/A
8D	10	0.134	2-1/2"	3/8"	83	89
10D	10	0.134	3"	3/8"	70	74

company activity brand

[Earn 50 \\$ per Referral](#)

[Receive Free Newsletter](#)

[What's New](#) | [Feedback](#)

LIVE SUPPORT



# MEsteel Metal Weight Calculator (lbs)

Alloy:

Shape:

Number of Pieces:

Enter size information:

Calculated Weight (lbs):

MEsteel Counts

3247 members today

314,819 visitors /month

- [Local Steel Mills](#)
- [Mills-Agents,Traders](#)
- [Coil Service Centers](#)
- [Tube Manufacturers](#)
- [Stockists-Distributors](#)
- [Fabrication-Construction](#)
- [Contractors](#)
- [Other Steel Users](#)
- [Erection](#)
- [Design - Engineering](#)
- [Surface Treatment](#)
- [Base Materials](#)
- [Equipment & Software](#)
- [Inspection & Certification](#)
- [Transport & Warehousing](#)
- [Consultants](#)

 [company](#) [activity](#) [brand](#)

[Earn 50 \\$ per Referral](#)

[Receive Free Newsletter](#)

[What's New](#) | [Feedback](#)

LIVE SUPPORT 

# MEsteel Metal Weight Calculator (lbs)

Alloy:

Calculated Weight (lbs):

Shape:

Number of Pieces:

Enter size information: